

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	14	(US-6396833-\$ or US-6888836-\$ or US-6006264-\$ or US-6253230-\$ or US-6779039-\$ or US-6182139-\$ or US-6327622-\$ or US-6263368-\$ or US-5951694-\$ or US-6781986-\$ or US-5802052-\$ or US-6868082-\$ or US-6876629-\$ or US-5892932-\$).did.	USPAT	OR	ON	2006/07/09 20:05
S17 7	5	(dynamic\$3 OR independent\$3) (scal\$3 OR adjust\$4 OR optimiz\$3 OR siz\$3) (capacity OR ability OR capability) (switch OR (flow NEAR2 (control\$4 OR manager OR agent OR allocate\$3))) handle packet	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/09 18:22
S17 8	17	(dynamic\$3 OR independent\$3) (scal\$3 OR adjust\$4 OR optimiz\$3 OR siz\$3) (capacity OR ability OR capability) (switch OR (flow NEAR2 (control\$4 OR manager OR agent OR allocate\$3))) handle (packet OR Request)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/09 18:21
S17 6	10	(dynamic\$3 OR independent\$3) (scal\$3 OR adjust\$4 OR optimiz\$3 OR siz\$3) (capacity OR ability OR capability) (switch OR (flow NEAR2 (control\$4 OR manager OR agent OR allocate\$3))) AND packet	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 18:21
S17 2	81	(dynamic\$3 OR independent\$3) (scal\$3 OR adjust\$4 OR optimiz\$3 OR siz\$3) (capacity OR ability OR capability) (switch OR (flow NEAR2 (control\$4 OR manager OR agent OR allocate\$3)))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 18:13
S17 3	3	S172 SAME packet	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 18:12

EAST Search History

S17 1	1	independently scal\$5 capacity	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/07/09 18:05
S17 0	0	"independently scale capacity"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 18:02
S16 9	2	independently NEAR3 scalable NEAR2 (capacity OR capablity OR process\$3) NEAR2 (switch OR flow)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 18:02
S16 8	37	scalable NEAR2 (capacity OR capablity OR process\$3) NEAR2 (switch OR flow)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:59
S16 5	10	scalable NEAR2 capacity NEAR2 (switch OR flow)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:59
S16 7	11	S166 SAME (switch\$3 OR (flow ADJ control\$3))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:54
S16 6	62	scalable ADJ capacity	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:54
S16 4	6	scalable capacity (switch OR flow)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2006/07/09 17:52
S16 3	9	S162 AND @ad<"19990701"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:49

EAST Search History

S12 6	1802889 6	@ad<"19990701"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:45
S16 2	29	S161 SAME packet	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 17:44
S16 1	86	capacity switch data flow	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 17:44
S15 9	1	(independent\$3 (scalabl\$4 OR adjust\$3 OR control\$4) capacity (switch OR router)).ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 17:38
S15 6	63	independent\$3 (scalabl\$4 OR adjust\$3 OR control\$4) capacity (switch OR router)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 17:38
S15 8	12	("4471456" "5008878" "5305317" "5586263" "5706278" "5724348" "5787430" "5857087" "6061754" "6259699" "6260073" "6404975").PN.	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/09 17:37
S15 7	3	independent\$3 NEAR2 (scalabl\$4 OR adjust\$3 OR control\$4) NEAR2 capacity NEAR2 (switch OR router)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:36
S15 5	20	independent\$3 scalabl\$4 capacity	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 17:35
S15 3	2	independent\$3 scalabl\$4 capacity	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2006/07/09 17:32

EAST Search History

S15 2	2	independent\$3 scalable capacity	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2006/07/09 17:30
S15 1	3	independent\$3 scalable capacity (switch OR router)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/09 17:30
S14 7	25	scalable NEAR2 capacity NEAR3 (switch OR router)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/09 17:21
S15 0	80	("5802052").URPN.	USPAT	OR	ON	2006/07/09 17:17
S14 9	16	("4617657" "5241536" "5245616" "5425025" "5519690" "5802052" "5832287" "5892894" "5905727" "5923662" "5933435" "6067300" "6157643" "6188686" "6219728" "6480492").PN.	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/09 17:14
S14 8	2	("6781986").URPN.	USPAT	OR	ON	2006/07/09 17:14
S14 6	2	("20010037387").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/09 17:04
S12 2	8835	S121 SAME switch\$3	US-PGPU B; USPAT; USOCR	WITH	ON	2006/07/09 16:55
S14 5	18	S142 network	USPAT	SAME	ON	2006/07/09 16:44
S14 2	103	allocat\$4 (switch\$3 OR rout\$4 OR Load\$2balancer) as need\$2	USPAT	WITH	ON	2006/07/09 16:43
S14 1	23	S140 WITH (switch\$3 OR rout\$4 OR control\$4)	USPAT	OR	ON	2006/07/09 16:42
S14 0	300	independent\$4 scale\$3	USPAT	ADJ	ON	2006/07/09 16:37
S13 8	26	independent\$4 scale\$3 (switch\$3 OR rout\$4 OR control\$4) (server OR network)	USPAT	WITH	ON	2006/07/09 16:37

EAST Search History

S13 7	3	independent\$4 scale\$3 (switch\$3 OR rout\$4 OR control\$4) (server OR network) (traffic OR flow OR load)	USPAT	WITH	ON	2006/07/09 16:33
S13 6	3	S130 AND flow AND (direct\$4 OR forward\$3 OR switch\$3 OR rout\$4) AND (TCP AND UDP) AND (server OR network) AND table AND buffer AND time\$5	USPAT	OR	ON	2006/07/09 16:31
S13 3	3	S130 AND flow AND (direct\$4 OR forward\$3 OR switch\$3 OR rout\$4) AND (TCP AND UDP) AND (server OR network) AND table AND buffer	USPAT	OR	ON	2006/07/09 13:50
S13 2	6	S130 AND flow AND (direct\$4 OR forward\$3 OR switch\$3 OR rout\$4) AND (TCP AND UDP) AND (server OR network)	USPAT	OR	ON	2006/07/09 13:44
S13 0	10	S128 S129	USPAT	OR	ON	2006/07/09 13:37
S12 8	9	(US-6396833-\$ or US-6888836-\$ or US-6006264-\$ or US-6253230-\$ or US-6779039-\$ or US-6182139-\$ or US-6327622-\$ or US-6263368-\$ or US-5951694-\$).did.	USPAT	OR	ON	2006/07/09 13:37
S12 9	1	("6876654").PN.	USPAT	OR	OFF	2006/07/09 13:35
S12 7	15	S125 AND S126	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/07 13:35
S12 5	126	switch\$3 NEAR3 ((cluster OR farm) NEAR server)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/07 13:35
S12 4	8	((("6396833") or ("6178457") or ("6098093") or ("6779017")). PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/07 13:34

EAST Search History

S12 3	763	S122 SAME (direct OR redirect)	US-PGPU B; USPAT; USOCR	WITH	ON	2006/07/06 15:52
S12 1	80617	data NEAR2 flow	US-PGPU B; USPAT; USOCR	WITH	ON	2006/07/06 15:51
S11 9	66	("5283897" "5301226" "5473599" "5513314" "5583940" "5586121" "5608447" "5612865" "5612897" "5634125" "5652892" "5655140" "5666487" "5687369" "5740375" "5754752" "5764895" "5774660" "5774668" "5796941" "5805804" "5812819" "5815668" "5828833" "5835696" "5835710" "5862338" "5864666" "5898830" "5920699" "5936936" "5949753" "5951634" "5959990" "5963540" "5999536" "6006259" "6006264" "6047319" "6078957" "6097882" "6098093" "6101616" "6108300" "6141755" "6226684" "6266335" "6295276" "6356985" "6389448" "6397260" "6484261" "6530032" "6606708" "6647400").PN. OR ("6779039").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/06 15:46
S12 0	39	("20010056459" "5384770" "5416771" "5473607" "5651002" "5774660" "5787253" "5805801" "5844901" "5845091" "5903558" "5951694" "6006264" "6021263" "6041039" "6044401" "6128642" "6128657" "6137777" "6182139" "6185214" "6185619" "6233243" "6249801" "6263368" "6266700" "6272550" "6295527" "6304914" "6327622" "6330602" "6341129" "6370520" "6389468" "6415329" "6421321" "6421734" "6446122" "6480471").PN.	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/06 15:27

EAST Search History

S11 8	2	identify\$3 flow client server (farm OR cluster)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/06 14:32
S11 7	13	identify\$3 flow client server (farm OR cluster)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/06 14:32
S11 6	68	S115 AND @ad<"20000321"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/06 14:31
S11 5	279	client server (session OR state\$1full) flow	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/06 14:26
S52	10	S51 AND @ad<"20000321"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/06 14:26
S11 4	15	S112 AND S113	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/03 17:56
S11 3	2889821	@ad<"19990702"	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/03 17:56
S11 2	162	(flow NEAR2 (id OR identif\$4)) WITH server	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/03 17:42

EAST Search History

S11 1	39	("20010056459" "5384770" "5416771" "5473607" "5651002" "5774660" "5787253" "5805801" "5844901" "5845091" "5903558" "5951694" "6006264" "6021263" "6041039" "6044401" "6128642" "6128657" "6137777" "6182139" "6185214" "6185619" "6233243" "6249801" "6263368" "6266700" "6272550" "6295527" "6304914" "6327622" "6330602" "6341129" "6370520" "6389468" "6415329" "6421321" "6421734" "6446122" "6480471").PN.	US-PGPU B; USPAT; USOCR	OR	ON	2006/07/03 17:40
S11 0	4	((("6128279") or ("6691165")). PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/03 16:44